

Last updated: 16/02/2024 06:10:23

UNICOOL R-417A 11KG REFRIGERANT

Product group: **593** Product number: **905705**

Environmentally acceptable HFC solution for replacing ozone depleting refrigerants in existing refrigeration systems as low, medium and high temperature applications (evaporating temperatures of -35 to +25° C). This is a WSS preferred retrofit solution.



Product information

Features

- All refillable cylinders are inspected prior to refilling
- Residue refrigerant recovered to prevent environmental damage
- Content is 100% genuine virgin refrigerant from approved producer
- Conforms to AHRI-700 purity standard
- Long term replacement for R-22 and WSS preferred retrofit solution

Benefits

- Worldwide compliance
- Assured quality
- Refillable cylinders

Specification

General

| | |
|-------------------------------------------------------|---------|
| Cylinder Type | Refr-12 |
| GWP | 2346 |
| Invent Hazard Material (IMO/IU) classification | C-25 |
| ODP | 0 |

Physical properties

| | |
|---------------|-------|
| Colour | Green |
|---------------|-------|

Dimensions/Weight

| | |
|--------------------------------|------------|
| Connection [Size/ Type] | CGA660 |
| Diameter [mm] | 229 |
| Gross Weight [kg] | 20 approx. |
| Height [mm] | 506 |
| Weight [kg] | 11 Net |

Technical data

ODP = Ozone Depletion Potential

GWP = Global Warming Potential (IPCC Fourth Assessment Report - AR4)

Documents

[SDoC and MD for IHM](#)

Related products

Accessories

- 597757**
CHARGING HOSE SET UCH-72 3X1.8M
- 544932**
REFRIGERANT CYL. VALVE ADAPTOR SET

Is frequently bought together with

- 905232**
NITROGEN N-1030 FILLING
- 716142**
REFRIGERANT LEAK DETECTOR UNIRX-1A
- 752154**
REFRIGERATION HANDY TOOLS CASE
- 652522**
REFRIGERANT RECOVERY PACKAGE F/220V

743466
DUCT AIR TREATMENT 2KG

This page is printed from

<https://www.wilhelmsen.com/product-catalogue/products/gases-refrigerants-and-cylinders/refrigerants/r-417a/unicool-r-417a-11kg-refrigerant/>