

Last updated: 01/07/2024 18:25:59

## UNITOR HPC 54/1 3x440/60Hz

Product group: 430 Product number: 777886

The ideal partner for cleaning tasks onboard. High performance, excellent ergonomics, low noise levels and easy servicing make this an efficient pressure washer.



### Product information

This product supersedes product no: 659136

The Unitor™ HPC 54/1 with its robust and stable design make it adapted to even the toughest environments.

Ideal for 3-4 hours continuously operations. The 3 piston pump as a low rpm of 1750. 50% reduction in noise level and all controls in one place for ease of use.

For more efficient cleaning with reduced chemical consumption the unit can be fed with hot water up to 60 degrees C.

#### Supplied with

- Tornado lance
- Spray handle
- Quick coupling
- 10m HP hose
- Water inlet coupling

#### Features

- Robust unit
- Low RPM for reduced noise and longer life span
- Practical storage for lance and cable

#### Benefits

- Economic all purpose high pressure cleaner
- Effectively removes dirt
- Compact and easy to store
- Solves smaller to medium sized cleaning jobs with ease

### Specification

#### General

Invent Hazard Material (IMO/EU) classification	D-1
------------------------------------------------	-----

#### Dimensions/Weight

Dimensions L x W x H [mm]	735 x 570 x 1020
Nozzle size	0500
Weight [kg]	71

#### Technical data

Amperage [A]	11.4
Cleaning impact [kg]	5,3
Electrical phase	3
Frequency [Hz]	60
Ingress protection	X5
Inlet water temperature [°C]	60 maximum
Operating pressure [bar]	200
Power rating [kW]	6.1
Voltage [V]	440 mains supply
Water flow rate [l/min]	16.7
Water inlet connection [inch]	3/4 male

#### Performance data

Rotation speed	1750 rpm
----------------	----------

## Approvals

Corresponds to the following pertinent regulations:

EC Machine Directive 2006/42/EC

EC Low-voltage Directive 2006/95/EC

EC EMC Directive 2004/108/EC

EC RoHS Directive 2011/65/ECEC

Machine Directive 2006/42/EC

EC Low-voltage Directive 2006/95/EC

EC EMC Directive 2004/108/EC

EC RoHS Directive 2011/65/EC

Applied harmonised standards:

EN ISO 12100-1, EN ISO 12100-2, EN 60335-2-79,  
EN 55014-1(2002), EN 55014-2(2001), EN 61000-3-2 (2006)

Applied national standards and technical specifications:

IEC 60335-2-79

## Documents

[SDoC and MD for IHM](#)

[HPC-UNITOR-54-67EN-DE-FRv01](#)

## Directions for use

See user manual for details.

## Related products

Accessories

**671735**

AIR HOSE 1", PVC 50 M COIL

**671727**

AIR HOSE 3/4", PVC 50 M COIL

**659151**

EXTENDABLE LANCE 5.5M W/O NOZZLE

**671818**

HEAVY DUTY HOSE, BLUE 25M

**545327**

CHEM INJECTOR DETACHABLE

**586792**

HEAVY DUTY HOSE 15 MTR

**662163**

TORNADO LANCE 92CM WITH 05 NOZZLE

**545335**

FOAM INJECTOR DETACHABLE

**586784**

HEAVY DUTY HOSE 25 MTR

**621896**

HOSE CART, MOBILE

**662155**

TORNADO LANCE 10CM WITH 05 NOZZLE

**546036**

COUPLING KIT ERGO 3000

**665158**

ERGO 3000 SPRAY GUN

**718585**

NOZZLE 05/25DGR. F/EXTENDABLE LANCE

**718601**

NOZZLE 05/0DGR. F/EXTENDABLE LANCE

**662189**

UNIVERSAL 3000 LANCE 05 NOZZLE

**621813**  
DRAIN CLEANER 6401266 F/HPC 54, 20M

**545343**  
FOAMLANCE 120CMLONG

**621938**  
LONG REACH LANCE

Is frequently bought together with

**586784**  
HEAVY DUTY HOSE 25 MTR

**546036**  
COUPLING KIT ERGO 3000

**571729**  
HP WASH 25 LTR

This page is printed from:

<https://www.wilhelmsen.com/zh-hans/product-catalogue/products/cleaning-equipment/mobile-high-pressure-cleaners/hp-cleaners-150---220-bar/unitor-hpc-541-3x44060hz>